

# Javascript: Variables


---

# Variables

---

- Initialize and assign variables in JavaScript
- Store variables using the prompt function
- Write comments in your JavaScript code
- List all of the data types in JavaScript
- Compare and contrast primitive data types with objects

# Variable Fundamentals



```
<!DOCTYPE html>
<html>
  <head>
    <title>JavaScript Test Site</title>
    <script src="first.js"></script>
  </head>
  <body>

    <p>Nothing going on yet.</p>

  </body>
</html>
```

## first.js


```
console.log("Hi, Matt!");
console.log("How are you doing, Matt?");
console.log("See you later, Matt!");
```

- what if we want to change the person's name from "Matt" to something else?

# var keyword


---

declare a variable



```
var firstName = "Matt";  
console.log("Hi, " + firstName + "!");  
console.log("How are you doing, " + firstName + "?");  
console.log("See you later, " + firstName + "!");
```

use a variable



# Primitive Data Types

---

- 6 Primitive Data Types
- JavaScript is known as a "weakly" typed language.
- This means is that when you create variables and assign them to values, you do not have to specify the type of data you are working with.

```
// String  
var greeting = "hello";  
  
// Number  
var favoriteNum = 33;  
  
// Boolean  
var isAwesome = true;  
  
// undefined  
var foo;  
var setToUndefined = undefined;  
  
// null  
var empty = null;
```

# Strings

---

*// a string is a set of characters enclosed in quotes.*

*//A string can be defined using double quotes:*

```
var greeting = "Hello Whiskey";
```

*// or using single quotes:*

```
var greeting = 'Hello World';
```

*// if we want quotes in a string, we can mix them, keeping them balanced:*

```
var phrase = 'Matt said, "I have not been to Chile", the other day.';
```

# Numbers

---

*//JavaScript numbers can be positive:*

**var num = 5;**

*// or negative:*

**var num = -25;**

# Decimal Numbers

---

```
var piApproximation = 3.14159265;
```

```
var x = 1 + 3;
```

```
var a = 4.5;
```

```
var b = 5.9;
```

```
var c = Math.sqrt(a * a + b * b);
```

```
var studentTeacherRatio = 4 / 1;
```

# Boolean

---

*// A boolean type can only be in one of two states,  
// true or false.*

```
var pizzasGood = true;  
var pizzasBad = false;
```

# Undefined

---

```
// Any variable that is created in JavaScript  
// that is not assigned a value is undefined:  
var noValue; // The value here will be undefined  
  
//You can also explicitly set a variable to undefined:  
var favoriteFood = "Candy";  
  
// Changed your mind  
var favoriteFood = undefined;
```

# Null

---

```
// Null is not the same as undefined.  
It signifies an intentional absence of data.  
var secondEmailAddress = null;
```

- It is important to remember that null and undefined are different types in JavaScript
- This can be a confusing feature of JavaScript, even for people who know other programming languages.
- The distinction can seem somewhat arbitrary when you're first learning the language, but as you get more comfortable the distinction will become clearer.

# Figuring out a variable's type

---

- In JavaScript, we have a keyword called ***typeof*** that returns the type of the variable.

```
typeof "";      // - "string"  
typeof 5;       // - "number"  
typeof false;   // - "boolean"  
typeof undefined; // - "undefined"  
typeof null;    // this is not what we expect,  
                // it returns "object"!
```

# Converting to a string: toString

---

- The toString method will convert any value which is not undefined or null into a string

```
var num = 5;  
var bool = true;  
  
num.toString(); // "5";  
bool.toString(); // "true";
```

# Converting to a number using *parse*

---

- There are several ways you can convert a value to a number.
- One way is to parse the number, using `parseInt` or `parseFloat`:
- Each function will look at a string from left to right and try to make sense of the characters it sees as numbers.

```
parseInt("2"); // 2
parseFloat("2"); // 2
parseInt("3.14"); // 3
parseFloat("3.14"); // 3.14
parseInt("2.3alkweflakwe"); // 2
parseFloat("2.3alkweflakwe"); // 2.3
parseInt("w2.3alkweflakwe"); // NaN (not a number)
parseFloat("w2.3alkweflakwe"); // NaN (not a number)
```

# Converting to a number using *Number*

---

- This doesn't parse, it simply tries to convert the entire string directly to a number

```
Number("2"); // 2  
Number("3.14"); // 3.14  
Number("2.3alkweflakwe"); // NaN  
Number("w2.3alkweflakwe"); // NaN
```

# Converting to a number using +

---

- This doesn't parse, it simply tries to convert the entire string directly to a number.

```
+ "2"; // 2  
+ "3.14"; // 3.14  
+ "2.3alkweflakwe"; // NaN  
+ "w2.3alkweflakwe"; // NaN
```