








Router / Controller / View






https://gomix-list.gomix.me/


```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8">
    <title> Welcome to Playlist Maker </title>
    <meta charset="utf-8">
    <script type="text/javascript"></script>
    <link rel="stylesheet" href="style.css">
    <script type="text/javascript"></script>
  </head>
  <body>
    <section class="ui container">
      <nav class="ui menu">
        <header class="ui header item">
          <a href="/"> Playlist 1 </a>
        </header>
        <div class="right menu">
          <a id="dashboard" class="item" href="/dashboard">
            Dashboard
          </a>
          <a id="about" class="item" href="/about">
            About
          </a>
        </div>
      </nav>

      <section class="ui center aligned middle aligned segment">
        <h1 class="ui header">
          Welcome to Playlist 1
        </h1>
        <p>
          A small app to let you compose playlists.
        </p>
      </section>
    </section>
  </body>
</html>
```





‘/about’

REQUEST




https://gomix-list.gomix.me/


```
<!DOCTYPE html>
<html>
<head>
<meta charse
<title> Welc
<meta charse
<script type
<link rel="s
<script type
</head>
<body>
<section class="ui container">
<nav class="ui menu">
<header class="ui header item">
<a href="/"> Playlist 1 </a>
</header>
<div class="right menu">
<a id="dashboard" class="item" href="/dashboard">
Dashboard
</a>
<a id="about" class="item" href="/about">
About
</a>
</div>
</nav>
<section class="ui center aligned middle aligned segment">
<h1 class="ui header">
Welcome to Playlist 1
</h1>
<p>
A small app to let you compose playlists.
</p>
</section>
</section>
</body>
</html>
```



‘/about’



```
routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);
```



about.js

```
const about = {
  index(request, response) {
    logger.info('about rendering');
    const viewData = {
      title: 'About Playlist 1',
    };
    response.render('about', viewData);
  },
};
```




about.index(req, res)

https://gomix-list.gomix.me/

```

<!DOCTYPE html>
<html>
<head>
<meta charse
<title> Welc
<meta charse
<script type
<link rel="s
<script type
</head>
<body>
<section class="ui container">
<nav class="ui menu">
<header class="ui header item">
<a href="/"> Playlist 1 </a>
</header>
<div class="right menu">
<a id="dashboard" class="item" href="/dashboard">
Dashboard
</a>
<a id="about" class="item" href="/about">
About
</a>
</div>
</nav>
<section class="ui center aligned middle aligned segment">
<h1 class="ui header">
Welcome to Playlist 1
</h1>
<p>
A small app to let you compose playlists.
</p>
</section>
</section>
</body>
</html>


```



```

routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);

```



```

about.js
const about = {
  index(request, response) {
    logger.info('about rendering');
    const viewData = {
      title: 'About Playlist 1',
    };
    response.render('about', viewData);
  },
};

```

```

viewData = {
  title: 'About Playlist 1',
};

```


about.index(req, res)

response.render('about', viewData);

```

about.hbs
<{{> menu id="about">>
<section class="ui segment">
  <p>
    About this app
  </p>
</section>

```



<{{> menu id="about">>

```

menu.hbs
<nav class="ui menu">
  <header class="ui header item"> <a href="/"> Template 1 </a></header>
  <div class="right menu">
    <a id="dashboard" class="item" href="/dashboard"> Dashboard </a>
    <a id="about" class="item" href="/about"> About </a>
  </div>
</nav>


```

menu.hbs

```


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> Welcome to Playlist Maker </title>
<meta charset="UTF-8">
<script type="text/javascript" src="...jquery.min.js"></script>
<link rel="stylesheet" href="...semantic.min.css" type="text/css">
<script type="text/javascript" src="h...semantic.min.js"></script>
</head>
<body>
<section class="ui container">
<nav class="ui menu">
<header class="ui header item">
<a href="/"> Playlist 1 </a>
</header>
<div class="right menu">
<a id="dashboard" class="item" href="/dashboard">
Dashboard
</a>
<a id="about" class="item" href="/about">
About
</a>
</div>
</nav>
<section class="ui center aligned middle aligned segment">
<h1 class="ui header">
Welcome to Playlist 1
</h1>
<p>
A small app to let you compose playlists.
</p>
</section>
</section>
</body>
</html>

```



REQUEST
➔


'/about'



```

routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);

```



about.js

```

const about = {
  index(request, response) {
    logger.info('about rendering');
    const viewData = {
      title: 'About Playlist 1',
    };
    response.render('about', viewData);
  },
};

```

about.index(req, res)

response.render('about', viewData);

```

viewData = {
  title: 'About Playlist 1',
};

```



about.hbs

```

<{{> menu id="about"}}>
<section class="ui segment">
  <p>
    About this app
  </p>
</section>

```

<{{> menu id="about"}} >

{{{body}}}

menu.hbs

```

<nav class="ui menu">
  <header class="ui header item"> <a href="/"> Template 1 </a></header>
  <div class="right menu">
    <a id="dashboard" class="item" href="/dashboard"> Dashboard </a>
    <a id="about" class="item" href="/about"> About </a>
  </div>
</nav>


```

main.hbs

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> {{{title}}}</title>
<meta charset="UTF-8">
<script type="text/javascript" src="...jquery.min.js"></script>
<link rel="stylesheet" href="...semantic.min.css" type="text/css">
<script type="text/javascript" src="h...semantic.min.js"></script>
</head>
<body>
<section class="ui container">
  {{{body}}}
</section>
</body>
</html>

```




https://gomix-list.gomix.me/

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> Welcome to Playlist Maker </title>
<meta charset="utf-8">
<script type="text/javascript" src="...jquery.min.js"></script>
<link rel="stylesheet" href="...semantic.min.css" type="text/css">
<script type="text/javascript" src="h...semantic.min.js"></script>
</head>
<body>
<section class="ui container">
<nav class="ui menu">
<header class="ui header item">
<a href="/"> Playlist 1 </a>
</header>
<div class="right menu">
<a id="dashboard" class="item" href="/dashboard">
Dashboard
</a>
<a id="about" class="item" href="/about">
About
</a>
</div>
</nav>
<section class="ui center aligned middle aligned segment">
<h1 class="ui header">
Welcome to Playlist 1
</h1>
<p>
A small app to let you compose playlists.
</p>
</section>
</section>
</body>
</html>

```



'/about'


REQUEST



```

routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);

```



about.js

```

const about = {
  index(request, response) {
    logger.info('about rendering');
    const viewData = {
      title: 'About Playlist 1',
    };
    response.render('about', viewData);
  },
};

```


about.index(req, res)

response.render('about', viewData);

```

viewData = {
  title: 'About Playlist 1',
};

```



about.hbs

```

<{{> menu id="about">>
<section class="ui segment">
<p>
About this app
</p>
</section>

```

{{> menu id="about">>

{{{body}}}

menu.hbs

```

<nav class="ui menu">
<header class="ui header item"> <a href="/"> Template 1 </a></header>
<div class="right menu">
<a id="dashboard" class="item" href="/dashboard"> Dashboard </a>
<a id="about" class="item" href="/about"> About </a>
</div>
</nav>

```

main.hbs

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> {{{title}}}</title>
<meta charset="UTF-8">
<script type="text/javascript" src="...jquery.min.js"></script>
<link rel="stylesheet" href="...semantic.min.css" type="text/css">
<script type="text/javascript" src="h...semantic.min.js"></script>
</head>
<body>
<section class="ui container">
{{{body}}}
</section>
</body>
</html>

```


RESPONSE




```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> Welcome to Playlist Maker </title>
<meta charset="utf-8">
<script type="text/javascript" src="...jquery.min.js"></script>
<link rel="stylesheet" href="...semantic.min.css" type="text/css">
<script type="text/javascript" src="h...semantic.min.js"></script>
</head>
<body>
<section class="ui container">
<nav class="ui menu">
<header class="ui header item">
<a href="/"> Playlist 1 </a>
</header>
<div class="right menu">
<a id="dashboard" class="item" href="/dashboard">
Dashboard
</a>
<a id="about" class="item" href="/about">
About
</a>
</div>
</nav>
<section class="ui center aligned middle aligned segment">
<p>
A Little Playlist Maker - Version 1
</p>
</section>
</section>
</body>
</html>


```









https://gomix-list.gomix.me/about



Router / Controller / Model / View








REQUEST

`'/playlist/03'`




```
...  
<sec  
<h2  
E  
</l  
<p>  
<a  
</se  
</section  
<section class="ui segment">  
<h2 class="ui header">  
  Beethoven Concertos  
</h2>  
<p> Total Duration: 23 </p>  
<a href="/playlist/02"> View </a>  
</section>  
<section class="ui segment">  
<h2 class="ui header">  
  Beethoven Variations  
</h2>  
<p> Total Duration: 37 </p>  
<a href="/playlist/03"> View </a>  
</section>  
...
```

https://gomix-list.gomix.me/dashboard




```
routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);
```

```
about.js
const playlist = {
  index(request, response) {
    const playlistId = request.params.id;
    const viewData = {
      title: 'Playlist',
      playlist: playlistStore.getPlaylist(playlistId),
    };
    response.render('playlist', viewData);
  },
};
```



REQUEST

'/playlist/03'




playlist.index(req, res)

```
...
<sec
<h2
</h2>
<p>
</p>
<p> Total Duration: 35 </p>
<a href="/playlist/02"> View </a>
</section>
<section class="ui segment">
<h2 class="ui header">
  Beethoven Concertos
</h2>
<p> Total Duration: 23 </p>
<a href="/playlist/02"> View </a>
</section>
<section class="ui segment">
<h2 class="ui header">
  Beethoven Variations
</h2>
<p> Total Duration: 37 </p>
<a href="/playlist/03"> View </a>
</section>
...
```

https://gomix-list.gomix.me/dashboard

The screenshot shows a web browser with a URL bar containing 'https://gomix-list.gomix.me/dashboard'. The page has a header with 'Playlist 1' and navigation links for 'Dashboard' and 'About'. The main content area is titled 'Beethoven Sonatas' and shows 'Total Duration: 35' with a 'View' button. Below this, there are sections for 'Beethoven Concertos' and 'Beethoven Variations'. The HTML snippet on the left shows the corresponding DOM structure, with the 'View' button and the 'Beethoven Variations' section highlighted in green. A dark blue arrow labeled 'REQUEST' points from the 'View' button to the router component.



```
routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);
```



playlist.index(req, res)

```
about.js
const playlist = {
  index(request, response) {
    const playlistId = request.params.id;
    const viewData = {
      title: 'Playlist',
      playlist: playlistStore.getPlaylist(playlistId),
    };
    response.render('playlist', viewData);
  },
};
```

about.js



```
const playlistStore = {
  ...
  getPlaylist(id) {
    ...
  },
  ...
};
```

```
{
  "playlistCollection": [
    {
      "id": "01",
      ...
    },
    {
      "id": "02",
      ...
    },
    {
      "id": "03",
      "title": "Beethoven Variations",
      "duration": 67,
      "songs": [
        {
          "id": "10",
          "title": "Opus 34: Six vari",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 11
        },
        {
          "id": "11",
          "title": "Opus 120: Thirty-",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 45
        }
      ]
    }
  ]
}
```

https://gomix-list.gomix.me/dashboard

```
<section>
  <h2>Beethoven Sonatas</h2>
  <p>Total Duration: 35</p>
  <a href="#">View</a>
</section>
</section>
<section class="ui segment">
  <h2 class="ui header">
    Beethoven Concertos
  </h2>
  <p>Total Duration: 23 </p>
  <a href="/playlist/02">View </a>
</section>
<section class="ui segment">
  <h2 class="ui header">
    Beethoven Variations
  </h2>
  <p>Total Duration: 67 </p>
  <a href="/playlist/03">View </a>
</section>
...

```

REQUEST

'/playlist/03'



```
routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);
```

playlist.index(req, res)


```
about.js
const playlist = {
  index(request, response) {
    const playlistId = request.params.id;
    const viewData = {
      title: 'Playlist',
      playlist: playlistStore.getPlaylist(playlistId),
    };
    response.render('playlist', viewData);
  },
};
```




```
playlist.hbs
<{{> menu}}
<section class="ui segment">
  <h2 class="ui header">
    {{playlist.title}}
  </h2>
  <{{> listsongs}}
</section>
```

```
listsongs.hbs
<table class="ui table">
  <thead>
    <tr>
      <th>Song</th>
      <th>Artist</th>
      <th></th>
    </tr>
  </thead>
  <tbody>
    <{{#each playlist.songs}}>
      <tr>
        <td>
          {{title}}
        </td>
        <td>
          {{artist}}
        </td>
        <td>
          </td>
      </tr>
    </tbody>
  </table>
```

```
viewData = {
  title: 'Playlist',
  playlist: {
    id: "03",
    title: "Beethoven Variations",
    duration: 67,
    songs: [
      {
        id: "10",
        title: "Opus 34: Six variation...",
        artist: "Beethoven",
        genre: "Classical",
        duration: 11
      },
      {
        id: "11",
        title: "Opus 120: Thirty-three...",
        artist: "Beethoven",
        genre: "Classical",
        duration: 45
      }
    ]
  }
};
```



```
const playlistStore = {
  ...
  getPlaylist(id) {
    ...
  },
  ...
};
```



```
{
  "playlistCollection": [
    {
      "id": "01",
      ...
    },
    {
      "id": "02",
      ...
    },
    {
      "id": "03",
      "title": "Beethoven Variations",
      "duration": 67,
      "songs": [
        {
          "id": "10",
          "title": "Opus 34: Six vari...",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 11
        },
        {
          "id": "11",
          "title": "Opus 120: Thirty-three...",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 45
        }
      ]
    }
  ]
}
```


https://gomix-list.gomix.me/dashboard

Beethoven Sonatas
Total Duration: 35
View

```
<section class="ui segment">
<h2 class="ui header">
  Beethoven Concertos
</h2>
<p> Total Duration: 23 </p>
<a href="/playlist/02"> View </a>
</section>
<section class="ui segment">
<h2 class="ui header">
  Beethoven Variations
</h2>
<p> Total Duration: 37 </p>
<a href="/playlist/03"> View </a>
</section>
```

REQUEST

'/playlist/03'



router

```
routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);
```

playlist.index(req, res)

```
about.js
const playlist = {
  index(request, response) {
    const playlistId = request.params.id;
    const viewData = {
      title: 'Playlist',
      playlist: playlistStore.getPlaylist(playlistId),
    };
    response.render('playlist', viewData);
  },
};
```

response.render('playlist', viewData);




view

```
playlist.hbs
<{{> menu}}
<section class="ui segment">
  <h2 class="ui header">
    {{playlist.title}}
  </h2>
  <{{> listsongs}}
</section>
```

{{body}}


```
main.hbs
<!DOCTYPE html>
<html>
  <head>
    ...
  </head>
  <body>
    <section class="ui container">
      {{body}}
    </section>
  </body>
</html>
```



model

```
const playlistStore = {
  ...
  getPlaylist(id) {
    ...
  },
  ...
};
```

about.js



controller

```
{
  "playlistCollection": [
    {
      "id": "01",
      ...
    },
    {
      "id": "02",
      ...
    },
    {
      "id": "03",
      "title": "Beethoven Variations",
      "duration": 67,
      "songs": [
        {
          "id": "10",
          "title": "Opus 34: Six vari...",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 11
        },
        {
          "id": "11",
          "title": "Opus 120: Thirty-three...",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 45
        }
      ]
    }
  ]
}
```

```
listsongs.hbs
<table class="ui table">
  <thead>
    <tr>
      <th>Song</th>
      <th>Artist</th>
      <th></th>
    </tr>
  </thead>
  <tbody>
    <{{each playlist.songs}}>
      <tr>
        <td>
          {{title}}
        </td>
        <td>
          {{artist}}
        </td>
        <td>
          </td>
        </tr>
    </tbody>
  </table>
```

```
viewData = {
  title: 'Playlist',
  playlist: {
    "id": "03",
    "title": "Beethoven Variations",
    "duration": 67,
    "songs": [
      {
        "id": "10",
        "title": "Opus 34: Six variation...",
        "artist": "Beethoven",
        "genre": "Classical",
        "duration": 11
      },
      {
        "id": "11",
        "title": "Opus 120: Thirty-three...",
        "artist": "Beethoven",
        "genre": "Classical",
        "duration": 45
      }
    ]
  }
};
```


Dashboard About

Playlist 1

Beethoven Sonatas

Total Duration: 35

View


```

<section class="ui segment">
  <h2 class="ui header">
    Beethoven Concertos
  </h2>
  <p> Total Duration: 23 </p>
  <a href="/playlist/02"> View </a>
</section>
<section class="ui segment">
  <h2 class="ui header">
    Beethoven Variations
  </h2>
  <p> Total Duration: 37 </p>
  <a href="/playlist/03"> View </a>
</section>

```

REQUEST

"/playlist/03"



```

routes.js
router.get('/', start.index);
router.get('/dashboard', dashboard.index);
router.get('/playlist/:id', playlist.index);
router.get('/about', about.index);

```


playlist.index(req, res)

```

about.js
const playlist = {
  index(request, response) {
    const playlistId = request.params.id;
    const viewData = {
      title: 'Playlist',
      playlist: playlistStore.getPlaylist(playlistId),
    };
    response.render('playlist', viewData);
  }
};

```

response.render('playlist', viewData);



```

playlist.hbs
<{{> menu}}
<section class="ui segment">
  <h2 class="ui header">
    {{playlist.title}}
  </h2>
  <{{> listsongs}}
</section>

```

{{body}}

```

main.hbs
<!DOCTYPE html>
<html>
  <head>
    ...
  </head>
  <body>
    <section class="ui container">
      {{body}}
    </section>
  </body>
</html>

```

RESPONSE


Beethoven Variations

Song	Artist
Opus 34: Six variations on a theme in F major	Beethoven
Opus 120: Thirty-three variations on a waltz by Diabelli in C major	Beethoven

```

<section class="ui center aligned">
  <h2 class="ui header">
    Beethoven Variations
  </h2>
  <table class="ui table">
    <thead>
      <tr>
        <th>Song</th>
        <th>Artist</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>
          Opus 34: Six variations on a theme in F major
        </td>
        <td>
          Beethoven
        </td>
      </tr>
      <tr>
        <td>
          Opus 120: Thirty-three variations on a w... C major
        </td>
        <td>
          Beethoven
        </td>
      </tr>
    </tbody>
  </table>
</section>

```




```

const playlistStore = {
  ...
  getPlaylist(id) {
    ...
  }
};

```

about.js



```

{
  "playlistCollection": [
    {
      "id": "01",
      ...
    },
    {
      "id": "02",
      ...
    },
    {
      "id": "03",
      "title": "Beethoven Variations",
      "duration": 67,
      "songs": [
        {
          "id": "10",
          "title": "Opus 34: Six vari...",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 11
        },
        {
          "id": "11",
          "title": "Opus 120: Thirty-three...",
          "artist": "Beethoven",
          "genre": "Classical",
          "duration": 45
        }
      ]
    }
  ]
}

```

```

listsongs.hbs
<table class="ui table">
  <thead>
    <tr>
      <th>Song</th>
      <th>Artist</th>
    </tr>
  </thead>
  <tbody>
    <{{each playlist.songs}}
      <tr>
        <td>
          {{title}}
        </td>
        <td>
          {{artist}}
        </td>
      </tr>
    </tbody>
</table>

```

```

viewData = {
  title: 'Playlist',
  playlist: {
    "id": "03",
    "title": "Beethoven Variations",
    "duration": 67,
    "songs": [
      {
        "id": "10",
        "title": "Opus 34: Six variation...",
        "artist": "Beethoven",
        "genre": "Classical",
        "duration": 11
      },
      {
        "id": "11",
        "title": "Opus 120: Thirty-three...",
        "artist": "Beethoven",
        "genre": "Classical",
        "duration": 45
      }
    ]
  }
};

```